

PUZZI 10/1 UPHOLSTERY VACUUM CLEANER

Kärcher Puzzi 10/1: Professional upholstery & carpet cleaner. Deep cleans, minimal moisture. Flexible nozzle for easy use. Ideal for cars & furniture.



Order no.

1.100-132.0

- Carpet nozzle 240 mm, upholstery nozzle for insertion, spray/suction hose 2.5 m

Technical data

EAN code		4039784917101
Max. Area Performance	m ² /h	20 - 25
Air flow	l/s	74
Vacuum	mbar / kPa	220 / 22
Spray rate	l/min	1
Spray pressure	bar	1
Fresh/dirty water tank	l	10 / 9
Turbine capacity	W	1250
Pump capacity	W	40
Voltage	V	230 - 240
Colour		anthracite
Weight without accessories	kg	10.7
Weight incl. packaging	kg	16.1
Dimensions (L × W × H)	mm	705 × 320 × 435

Equipment

Upholstery nozzle		■
Detergents		RM 760 tablets / 2 Piece(s)
spray/suction hose	m	2.5
Cable hook		■
Floor nozzle	mm	240
Integrated accessory storage for upholstery/crevice nozzle		■
Integrated accessory storage for floor nozzle		■
Spray/suction gun		■
D-handle for spray/suction tube		■
removable 2-in-1 container for fresh/dirty water		■
spray/suction tube	Piece(s)	1
Nozzle mouthpiece		Upholstery nozzle / blue

■ included in delivery.



Excellent cleaning performance

- Perfect fibre-deep cleaning of textile surfaces.
- Fast drying means that surfaces can quickly be used again thanks to the excellent back suction performance.
- Excellent cleaning result with visible before-and-after effect.



Professional quality: extremely robust and durable

- Efficient pump with a long lifetime.
- Powerful turbine with excellent back suction performance.



Comprehensive set of carpet cleaning accessories

- Flexible suction lip for optimum suction angle and ultimate drying results.
- 240 mm wide floor nozzle with integrated spray/suction tube.
- Ergonomic two-handed grip for extra user comfort.

EQUIPMENT FOR PUZZI 10/1 UPHOLSTERY VACUUM CLEANER

1.100-132.0



		Order no.	Description	
SPRAY EXTRACTION CLEANERS				
Other				
Handle	1	4.130-000.0	Modular handle for floor, upholstery and crevice nozzle. With integrated sight glass for inspecting the vacuumed dirt. Adaptors for spray and suction hose.	■
Extension tube	2	4.025-004.0	Extension tube, individual.	■
D-handle	3	4.321-001.0	D-handle, individual, for extension tube 4.025-004.0.	■
Cleaning agent container, complete	4	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	□
Floor tools				
Flexible floor nozzle, 240 mm, individual	5	4.130-008.0	Floor nozzle (240 mm), individual. Transparent glass for checking the vacuumed dirty water. Flexible squeegee. Included in kit 4.130-007.0.	■
Flexible floor nozzle, 240 mm, complete	6	4.130-007.0	Kit consisting of floor nozzle (240 mm), suction tube and D-handle. Transparent sight glass for checking the vacuumed dirty water. Flexible squeegee.	□
Hand tools				
Upholstery nozzle	7	4.130-001.0	Upholstery nozzle, 110 mm.	■
Crevice tool	8	4.130-010.0	Crevice nozzle for spray extraction machines.	□
Spray-extraction hoses				
Spray/suction hose, 2.5 m	9	6.394-826.0	Standard spray/suction hose.	■
Spray/suction hose, 4 m	10	6.394-375.0	Optional spray/suction hose, 4 m.	□
Hard surface adapters				
Hard floor rubber adapter, small 240 mm	11	4.762-014.0	Hard surface adapter for floor nozzle, 240 mm.	□

■ Included in delivery. □ Available accessories.

von trockenem Schmutz. • Das Gerät ist geeignet für feuchten bis nassen Boden bis zu einer maximalen Wasserhöhe von 1 cm. Fahren Sie nicht in einen Bereich, wenn die Gefahr besteht, dass die maximale Wasserhöhe überschritten wird. • Das Gerät ist nur für die in der Betriebsanleitung ausgewiesenen Beläge geeignet. • Beachten Sie bei der Entsorgung des Schmutzwassers sowie der Lauge die gesetzlichen Vorschriften. • Betreiben Sie das Gerät nicht bei Temperaturen unter 0 °C. • Schützen Sie das Gerät vor Regen und Frost. Lagern Sie das Gerät nicht im Außenbereich. • Beachten Sie die Sicherheitsüberprüfung für ortsveränderliche gewerblich genutzte Geräte nach den örtlich geltenden Vorschriften

Betrieb mit Reinigungsmittel

⚠ VORSICHT • Bewahren Sie Reinigungsmittel für Kinder unzugänglich auf. • Setzen Sie die empfohlenen Reinigungsmittel nicht unverdünnt ein. Die Produkte sind betriebsicher, da sie keine Säuren, Laugen oder umweltschädigende Stoffe enthalten. Bei Berührung von Reinigungsmitteln mit den Augen, spülen Sie diese sofort gründlich mit Wasser aus und suchen Sie, wie auch beim Verschlucken von Reinigungsmitteln, sofort einen Arzt auf. • Verwenden Sie nur die vom Hersteller empfohlenen Reinigungsmittel und beachten Sie die Anwendungs-, Entsorgungs- und Warnhinweise der Reinigungsmittelhersteller.

Geräte mit rotierenden Bürsten / Scheiben

⚠ GEFAHR • Stromschlaggefahr. Überfahren Sie niemals die Netzanschlussleitung oder das Verlängerungskabel mit den sich drehenden Bürsten / Scheiben des Reinigungskopfs.

⚠ VORSICHT • Ungeeignete Bürsten / Scheiben gefährden Ihre Sicherheit. Verwenden Sie nur die mit dem Gerät gelieferten oder die in der Betriebsanleitung empfohlenen Bürsten / Scheiben.

Pflege und Wartung

⚠ WARNUNG • Vor Reinigung, Wartung und dem Austausch von Teilen müssen Sie das Gerät ausschalten und den Netzstecker ziehen oder den Akkupack entnehmen. Schalten Sie das Gerät vor der Umstellung auf eine andere Funktion aus.

⚠ VORSICHT • Lassen Sie Instandsetzungen nur durch zugelassene Kundendienststellen oder durch Fachkräfte für dieses Gebiet, welche mit allen relevanten Sicherheitsvorschriften vertraut sind, durchführen. • Reinigen Sie die Wasserstandbegrenzungseinrichtung regelmäßig und prüfen Sie sie dabei auf Anzeichen einer Beschädigung.

ACHTUNG • Kurzschlüsse oder andere Schäden. Reinigen Sie das Gerät nicht mit Schlauch- oder Hochdruckwasserstrahl.

Zubehör und Ersatzteile

⚠ VORSICHT

• Verwenden Sie nur Zubehör und Ersatzteile, die vom Hersteller freigegeben sind. Original-Zubehör und Original-Ersatzteile bieten die Gewähr für einen sicheren und störungsfreien Betrieb des Geräts.

Transport

⚠ VORSICHT • Schalten Sie das Gerät vor dem Transport aus. Befestigen Sie das Gerät unter

Berücksichtigung des Gewichts, siehe Kapitel Technische Daten in der Betriebsanleitung.

Safety instructions Spray retraction devices

Read these safety instructions and the original instructions before using the device for the first time. Act in accordance with them. Keep the two booklets for future reference or for future owners.

- In addition to the notes in the operating instructions, you also need to take into consideration the general safety regulations and accident prevention guidelines applicable by law.
- Warnings and information notices attached to the device provide important information for hazard-free operation.

Hazard levels

⚠ DANGER

• Indication of an imminent threat of danger that will lead to severe injuries or even death.

⚠ WARNING

• Indication of a potentially dangerous situation that may lead to severe injuries or even death.

⚠ CAUTION

• Indication of a potentially dangerous situation that may lead to minor injuries.

ATTENTION

• Indication of a potentially dangerous situation that may lead to damage to property.

Protective gear

⚠ CAUTION • Wear suitable gloves when working with the device.

General safety instructions

⚠ DANGER • Risk of asphyxiation. Keep packaging film out of the reach of children.

⚠ WARNING • Only use the device for its proper use. Take into account the local conditions and beware of third parties, in particular children, when working with the device. • Persons with reduced physical, sensory or mental capabilities and persons lacking experience and knowledge may only use the appliance if they are properly supervised, have been instructed on use of the appliance safely by a person responsible for their safety, and understand the resultant hazards involved. • Only people who have been instructed on how to use the device, or have proven their ability to operate it, and have been explicitly instructed to use it, must use the device. • Children must not operate the device. • Children must be supervised to prevent them from playing with the appliance.

⚠ CAUTION • Safety devices are provided for your own protection. Never modify or bypass safety devices.

Risk of electric shock

⚠ DANGER • Only connect protection class I devices to properly earthed power sources. • The voltage indicated on the type plate must match the voltage of the power source. • Never touch the mains plug and socket with wet hands.

⚠ WARNING • Only work with liquids (e.g. cleaning agents) if the device is connected to a socket

protected with a fault current protection switch (maximum 30 mA). ● Only connect the device to an electrical connection which has been set up by a qualified electrician as per IEC 60364-1. ● Switch off the device immediately in the event of leaks. ● In case of any foam formation or escaping liquids, switch off the device immediately and remove the mains plug or the battery pack. ● Check that the mains connection cable with mains plug is undamaged each time before using the device. To avoid any possible danger, a damaged mains connection cable must be immediately replaced by the manufacturer, or the authorised customer service department or a qualified electrician. ● Do not damage the power supply and extension cable by running over it, crushing or yanking it or similar. Protect the power supply cable from heat, oil and sharp edges. ● Only use the mains connection cable prescribed by the manufacturer, including when replacing the cable. For order no. and type see operating instructions. ● Only replace couplings on the power supply or extension cable with those with the same splash guard and the same mechanical strength.

ATTENTION ● Switch-on procedures will generate short-term voltage drops. ● Unfavourable mains conditions may cause other devices to be impaired. ● In case of a network impedance of less than 0.15 ohms, no malfunctions are to be expected.

Operation

⚠ DANGER ● When using the device in hazard zones (e.g. service stations), adhere to the respective safety regulations. ● Operation in explosive atmospheres is prohibited. ● Never use the device to extract any burning or smouldering objects. ● Never spray or vacuum fluids, flammable gases, explosive dusts as well as undiluted acids and solvents. These include petrol, paint thinners or heating oil, which can form explosive vapours or mixtures through suction air turbulence, also acetone, undiluted acids and solvents because these attack the materials used in the machine.

⚠ WARNING ● Never use the device to vacuum up people or animals.

⚠ CAUTION ● Check the device and the accessories each time before operation, in particular the mains connection and extension cable, to make sure it is safe and working correctly. Pull out the mains plug in case of any damage and do not use the device. ● Never leave the device unattended when it is not switched off and with the mains plug or the battery pack removed. ● The device is not suitable for sucking dust that is harmful to health.

ATTENTION ● Use the socket on the device, if applicable, only for connecting accessories and attachments specified in the operating instructions. ● The device is not a vacuum cleaner. Do not extract more liquid than you sprayed. Never use the device for extracting dry dirt. ● The device is suitable for damp to wet floors up to a maximum water height of 1 cm. Do not drive into an area if there is a danger of exceeding the maximum water height. ● The device is only suitable for use on the coats listed in the operating instructions. ● Observe the legal regulations when disposing of waste water and brine. ● Do not operate the device at temperatures below 0 °C. ● Protect the device from rain and frost. Do not store the device outdoors. ● Pay attention to the safety inspection for mobile devices for indus-

trial use in accordance with the locally applicable regulations

Operation with detergent

⚠ CAUTION ● Keep the detergent out of the reach of children. ● Never use the recommended detergents undiluted. These products are operationally safe since they do not contain any acids, alkali or substances that are harmful to the environment. Should detergents come into contact with eyes, rinse these out immediately and thoroughly using water and seek medical attention immediately. The same applies if detergents are swallowed. ● Only use the detergents recommended by the manufacturer and observe the application, disposal and warning instructions of the detergent manufacturers.

Devices with rotating brushes/discs

⚠ DANGER ● Risk of electric shock. Never cross the mains connection or the extension cable with the rotating brushes/discs of the cleaning head.

⚠ CAUTION ● Unsuitable brushes/discs put your safety at risk. Only use the brushes/discs supplied with the device or those recommended in the operating instructions.

Care and service

⚠ WARNING ● Prior to cleaning, maintenance and replacement of parts, the device needs to be switched off and the mains plug or battery pack removed. Switch the device off before changing over to another function.

⚠ CAUTION ● Repairs may only be carried out by approved customer service sites or staff qualified in this area who are familiar with all relevant safety instructions. ● Clean the water level limit facility regularly, checking for any signs of damage.

ATTENTION ● Short-circuits or other damage. Do not clean the device with a hose or high-pressure water jet.

Accessories and spare parts

⚠ CAUTION

● Only use accessories and spare parts which are approved by the manufacturer. Only original accessories and original spare parts ensure that the appliance will run fault-free and safely.

Transport


⚠ CAUTION ● Switch off the device prior to transport. Secure the device, taking into account its weight. See chapter Technical Data in the operating instructions.

Consignes de sécurité Appareils d'injection/extraction

Veillez lire ces consignes de sécurité et le manuel d'instructions original avant la première utilisation de l'appareil. Suivez ces instructions. Conservez ces deux documents pour une utilisation ultérieure ou pour le propriétaire suivant.

● Outre les remarques dans ce manuel d'utilisation, vous devez prendre en compte les directives générales de sécurité et les directives pour la prévention des accidents du législateur.

Puzzi 10/1 Puzzi 10/2 Adv



Deutsch	5
English	10
Français	15
Italiano	20
Nederlands	25
Español	30
Português	35
Dansk	40
Norsk	45
Svenska	50
Suomi	55
Ελληνικά	60
Türkçe	66
Русский	71
Magyar	77
Čeština	82
Slovenščina	87
Polski	92
Românește	97
Slovenčina	102
Hrvatski	107
Srpski	112
Български	117
Eesti	123
Latviešu	128
Lietuviškai	133
Українська	138




Register
your product
www.kaercher.com/welcome




A


1




2




3




4




5




6




7




8




9



B

C



Contents

General notes.....	10
Environmental protection.....	10
Intended use.....	10
Overview of the device.....	10
Start-up.....	11
Operation.....	11
Cleaning methods.....	12
Transport.....	12
Storage.....	12
Care and service.....	12
Troubleshooting guide.....	13
Warranty.....	13
Accessories and spare parts.....	13
Declaration of Conformity.....	13
Technical data.....	14

General notes



Read these original instructions and the enclosed safety instructions before using the device for the first time. Act in accordance with them.

Keep both books for future reference or for future owners.

- If the operating instructions and safety instructions are not observed, the device can be damaged and dangers could arise for users and other persons.
- Notify the dealer immediately in the case of shipping damage.
- Check the package contents when unpacking for missing accessories or for damage.

Environmental protection



The packing materials can be recycled. Please dispose of packaging in accordance with the environmental regulations.



Electrical and electronic devices contain valuable, recyclable materials and often components such as batteries, rechargeable batteries or oil, which - if handled or disposed of incorrectly - can pose a potential danger to human health and the environment. However, these components are required for the correct operation of the device. Devices marked by this symbol are not allowed to be disposed of together with the household rubbish.

Notes on the content materials (REACH)

Current information on content materials can be found at: www.kaercher.de/REACH

Intended use

- This spray retraction device is intended for wet cleaning of carpets.
- This device is suitable for commercial use, e.g. in hotels, schools, hospitals, factories, shops, offices, and rental companies.

Overview of the device

Quick Start Guide

Illustration A

- ① Connecting the spray/suction hose to the device, connecting the spray/suction hose to the handle
- ② Mixing cleaning solution, filling fresh water tank

- ③ Selecting operating modes
- ④ Cleaning
- ⑤ Emptying the fresh water tank
- ⑥ Emptying the wastewater container
- ⑦ Filling the fresh water tank(without detergent), rinsing the device
- ⑧ Cleaning the fluff filter, cleaning the fresh water filter
- ⑨ Allowing the device to dry

Description of the device

Illustration B

- ① Upholstery nozzle (Puzzi 10/1 only)
- ② Cable hooks
- ③ Adapter for accessories (Homebase)
- ④ Holder for accessories
- ⑤ Mains cable
- ⑥ Quick Start Guide
- ⑦ Fresh water tank
- ⑧ Fresh water filter
- ⑨ Spray switch
- ⑩ Suction switch
- ⑪ Casing
- ⑫ Type plate
- ⑬ Steering roller
- ⑭ Spray hose connection
- ⑮ Socket for additional brush wash head PW 30/1 (Puzzi 10/2 Adv only)
- ⑯ Suction hose connection
- ⑰ Defoaming agent container (Puzzi 10/2 Adv only)
- ⑱ Cover
- ⑲ Storage compartment for detergent tabs (Puzzi 10/2 Adv only)
- ⑳ Device carrying handle including suction pipe holder
- ㉑ Floor nozzle for carpet cleaning
- ㉒ Carpet adapter
- ㉓ Floor nozzle latch
- ㉔ Suction pipe
- ㉕ Nozzle mouthpiece
- ㉖ Union nut
- ㉗ D-handle
- ㉘ Handle
- ㉙ Handle lever
- ㉚ Spray hose
- ㉛ Suction hose
- ㉜ Spray / suction hose

- ③③ Wastewater container, removable
- ③④ Wastewater container carrying handle
- ③⑤ Cover seal
- ③⑥ Fluff filter

Table of nozzle mouthpieces

Colour	Part number	Flow volume	Application	Approved for device
Yellow	6.415-165.0	2.0 l/min	Floor nozzle	Puzzi 10/2
Green	6.415-105.0	0.7 l/min	Floor nozzle	Puzzi 9/1 Bp
Brown	6.415-166.0	1.0 l/min	Floor nozzle	Puzzi 8/1, Puzzi 10/1
Blue	6.415-928.0	1.0 l/min	Upholstery nozzle	Puzzi 8/1, Puzzi 10/1, Puzzi 10/2, Puzzi 30/4
Red	6.415-097.0	0.55 l/min	Upholstery nozzle, short	Puzzi 8/1, Puzzi 9/1 Bp

Start-up

1. Check the power cord, extension cable and hoses for damage before each start-up.

Installing accessories

1. Fit the suction pipe onto the floor nozzle and hand-tighten the union nut on the floor nozzle.
2. If necessary, slide the D-handle onto the suction pipe and hand-tighten in the desired position. The D-handle is easier to slide on with the help of dish-washing detergent or other lubricant.
3. Fit the handle onto the suction pipe and hand-tighten the union nut on the handle.
4. Connect the suction hose to the suction hose connection on the device. Insert the spray hose coupling into the spray hose connection on the device and latch into place.
5. Connect the suction hose to the handle. Connect the spray hose coupling to the handle and latch into place.

Mixing the cleaning solution

⚠ DANGER

Danger from detergents

Risk of injury and damage

Observe all instructions that are included with the detergents used.

Note

Warm water (maximum 50 °C) increases the cleaning effect. Check the temperature resistance of the surface to be cleaned.

Note

Use detergents sparingly to conserve the environment.

1. Mix fresh water and detergent in a clean container (concentration as specified for the detergent). Dissolve the detergent in the water.

Filling the fresh water tank

1. Pour the cleaning solution into the fresh water tank. The filling level must not exceed the "MAX" mark.

Defoaming agent

Note

Foam is generated in the wastewater container when cleaning previously shampooed carpets. Foaming can be prevented by adding defoaming agents.

1. Puzzi 10/1 only: Add defoaming agent (special accessory) to the wastewater container.
2. Puzzi 10/2 Adv only: Open the defoaming agent container. Fill with defoaming agent (special accessories).

Replacing the carpet adapter

1. Press the floor nozzle latch on one side.
2. Swing out and remove the carpet adapter.
3. Insert a new carpet adapter and engage the latch.

Operation

Working with accessories

Puzzi 10/2 Adv only:

Note

An additional power socket is provided for connecting additional electrical devices.

⚠ DANGER

Danger of electric shock

Risk of injury and damage.

The socket is only intended for the direct connection of the PW 30/1 additional brush washer head to the Puzzi 10/2 Adv. Any other use of the socket is prohibited.

Switching on the device

1. Connect the mains plug.
2. Press the suction switch to switch on the suction turbine.
3. Press the spray switch to switch on the spray pump.

Cleaning mode

ATTENTION

Danger from cleaning solution

Risk of damage

Before using the device, check the object to be cleaned for colour fastness and water resistance in an inconspicuous place.

1. Press the lever on the handle to spray the cleaning solution.
2. Run over the surface to be cleaned in overlapping paths. Pull the nozzle backwards (do not push).
3. When interrupting work, the suction pipe (with floor nozzle) can be placed in the carrying handle of the device.

Switching off the device

1. Switch off the spray switch and the suction switch.
2. Pull out the mains plug.

Empty the wastewater container

1. Switch off the suction switch and the spray switch when the wastewater container is full.
2. Remove the cover.
3. Remove the wastewater container from the device and empty it.

Emptying the fresh water tank

1. Switch off the device.
2. Briefly operate the lever on the handle to relieve pressure.
3. Disconnect the handle from the spray/suction hose.
4. Hang the suction hose in the fresh water tank.

- Press the suction switch to switch on the suction turbine.
- Suck the fresh water tank empty and switch off the device.
- Remove the cover.
- Remove the wastewater container from the device and empty it.

Flushing the device

- Connect the handle (with suction pipe and floor nozzle) to the suction hose.
- Connect the spray hose coupling to the handle and latch into place.
- Pour approximately 2 litres of tap water into the fresh water tank. Do not add detergents.
- Press the spray switch to switch on the spray pump.
- Hold the floor nozzle over a drain.
- Operate the lever on the handle and flush the device for 1 to 2 minutes.
- Switch off the device.

Each time after use

- Flush the device.
- Drain the wastewater container and clean it under running water.
- Empty the fresh water tank.
- Clean the exterior of the device with a damp cloth.
- To avoid unpleasant smells, remove all water from the device before long downtimes.
- Let the device dry thoroughly: Remove the cover or move it to the side.

Storing the device

- Store the device in a dry room and secure it against unauthorised use.

Cleaning methods

Normal soiling

- Spray and vacuum up the cleaning solution in one step.

Note

Repeated vacuuming without spraying shortens the drying time.

Heavily soiling or stains

- Apply cleaning solution with the suction turbine switched off and let it work for 10 to 15 minutes.
- Clean the area as with normal soiling.

Upholstery cleaning

- Puzzi 10/1 only: Attach the upholstery nozzle instead of the floor nozzle (with suction pipe).
- Use less detergent for sensitive fabrics and spray the surface at a distance of approx. 200 mm. Then only vacuum.

Cleaning tips

- Spray heavily soiled areas in advance and allow the cleaning solution to work for 5 to 10 minutes.
- Always work from light to shadow (from window to door).
- Always work from the cleaned to the uncleaned area.
- The more sensitive the covering (oriental bridges, Berber, upholstery fabric) the lower the concentration of detergent.
- Carpets with jute backs can shrink and bleed in colour if the work is too wet.

- Brush wet pile carpets in the direction of the pile after cleaning when wet (e.g. with a fibre brush or scrubber).
- Impregnating after wet cleaning prevents the textile from being quickly soiled again.
- To avoid pressure points or rust stains, do not walk on or furnish the cleaned area until after it has fully dried.
- To improve the cleaning result, rinse the object with clean water after using detergents.

Detergent

Description	Name	Dosing	Order number
CarpetPro cleaner (0.8 kg)	RM 760 powder	1 %	6.295-849.0
CarpetPro cleaner, iCapsol (16 piece)	RM 760 tabs	2 tabs for 8 litres	6.295-850.0
CarpetPro cleaner, quick-drying (10 litre)	RM 767 liquid	1.2 %	6.295-198.0
CarpetPro cleaner (10 litres)	RM 764 liquid	1 %	6.295-854.0
CarpetPro impregnation (5 litres)	RM 762 liquid	20 %	6.295-852.0
Defoaming (2.5 litres)	RM 761 liquid	0.5 %	6.291-389.0

For further information, please request the product information sheet and the EU safety data sheet for the relevant cleaning agent.

Transport

⚠ CAUTION

Failure to observe the weight

Risk of injury and damage

Be aware of the weight of the device during transportation.

- Place the suction pipe on the carrying handle for transport and place the spray / suction hose on the device. Wind up the mains cable and hang it in the cable hook.

Illustration C

- When transporting the device in vehicles, secure it to prevent it from slipping or overturning in accordance with the respective valid guidelines.

Storage

⚠ CAUTION

Failure to observe the weight

Risk of injury and damage

Be aware of the weight of the device during storage.

The device may only be operated indoors.

Care and service

⚠ DANGER

Danger of electric shock

Injuries due to touching live parts

Switch off the device.

Remove the mains plug.

Clean the fluff filter

1. Remove the cover.
2. Remove the wastewater container from the device.
3. Clean the fluff filter regularly with a brush.

Clean the fresh water filter

1. Unscrew the fresh water filter.
2. Clean the fresh water filter under running water.

Clean the nozzle

1. Unscrew the union nut.
2. Clean the nozzle mouthpiece.

Troubleshooting guide

⚠ DANGER

Danger of electric shock

Injuries due to touching live parts

Switch off the device.

Remove the mains plug.

The device is not working

1. Check the socket and the power supply fuse.
2. Check the mains cable and the mains plug of the device.
3. Switch on the device.

No water emitted from the nozzle

1. Fill up the fresh water tank.
2. Check the couplings on the spray hose for correct seating.
3. Clean or replace the nozzle mouthpiece.
4. Clean the fresh water filter.
5. Spray pump defective, contact customer service.

Single-sided spray jet

1. Clean the nozzle mouthpiece.

Poor suction performance

1. Check that the cover is seated correctly.
2. Clean the seal on the cover and the contact surface on the device.
3. Clean the fluff filter.
4. Check the suction hose for clogging; clean if necessary.

Spray pump is loud

1. Refill the fresh water tank.

Heavy foaming in the wastewater container

1. Add defoaming agent in the wastewater container or fill up the defoaming agent container.

Customer Service department

If the malfunction cannot be corrected, the device must be checked by the Customer Service department.

Warranty

The warranty conditions issued by our sales company responsible apply in all countries. We shall remedy possible malfunctions on your device within the warranty period free of cost, provided that a material or manufacturing defect is the cause. In a warranty case, please contact your dealer (with the purchase receipt) or the next authorised customer service site.

(See overleaf for the address)

Accessories and spare parts

Only use original accessories and original spare parts. They ensure that the appliance will run fault-free and safely.

Information on accessories and spare parts can be found at www.kaercher.com.

Declaration of Conformity

EU Declaration of Conformity

We hereby declare that the machine described below complies with the relevant basic safety and health requirements in the EU Directives, both in its basic design and construction as well as in the version placed in circulation by us. This declaration is invalidated by any changes made to the machine that are not approved by us.

Product: Spray retraction device

Type: 1.100-xxx

Type: 1.193-xxx

Currently applicable EU Directives

2006/42/EC (+2009/127/EC)

2011/65/EU

2014/30/EU

Harmonised standards used

EN IEC 63000: 2018

EN 55014-1: 2017 + A11: 2020

EN 55014-2: 2015

EN 60335-1

EN 60335-2-68

EN 61000-3-2: 2014

EN 61000-3-3: 2013

EN 62233: 2008

National standards used

-

The signatories act on behalf of and with the authority of the company management.



H. Jenner

Chairman of the Board of Management



S. Reiser

Director Regulatory Affairs & Certification

Documentation supervisor:

S. Reiser

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28 - 40

71364 Winnenden (Germany)

Ph.: +49 7195 14-0

Fax: +49 7195 14-2212

Winnenden, 2020/10/01

Declaration of Conformity (UK)

We hereby declare that the product described below complies with the relevant provisions of the following UK Regulations, both in its basic design and construction as well as in the version put into circulation by us. This declaration shall cease to be valid if the product is modified without our prior approval.

Product: Spray retraction device

Type: 1.100-xxx

Type: 1.193-xxx

Currently applicable UK Regulations

S.I. 2008/1597 (as amended)

S.I. 2012/3032 (as amended)

S.I. 2016/1091 (as amended)

Designated standards used

EN IEC 63000: 2018
 EN 55014-1: 2017 + A11: 2020
 EN 55014-2: 2015
 EN 60335-1
 EN 60335-2-68
 EN 61000-3-2: 2014
 EN 61000-3-3: 2013
 EN 62233: 2008



H. Jenner
 Chairman of the Board of Management



S. Reiser
 Director Regulatory Affairs & Certification

Documentation supervisor:

S. Reiser
 Alfred Kärcher SE & Co. KG
 Alfred-Kärcher-Str. 28 - 40
 71364 Winnenden (Germany)
 Ph.: +49 7195 14-0
 Fax: +49 7195 14-2212
 Winnenden, 2020/10/01

National standards used

-





The signatories act on behalf of and with the authority of the company management.

Technical data

		Puzzi 10/1	Puzzi 10/2 Adv
Electrical connection			
Mains voltage	V	220-240	220-240
Mains voltage (AR)	V	220	220
Phase	~	1	1
Power frequency	Hz	50-60	50-60
Degree of protection		IPX4	IPX4
Protection class		II	II
Blower motor nominal power	W	1200	1200
Power (tot.)	W		1450
Spray pump power	W	40	80
Power rating of the device socket (max.)	W		250
Device performance data			
Fresh water filling quantity	l	10	10
Wastewater filling quantity	l	9	9
Air quantity (max.)	l/s	74	74
Vacuum (max.)	kPa (mbar)	25,4 (254)	25,4 (254)
Spray pressure	MPa	0,1	0,2
Spray pressure (max.)	MPa	0,3	0,3
Spray volume	l/min	1	2
Cleaning solution temperature (max.)	°C	50	50
Dimensions and weights			
Typical operating weight	kg	10,5	11,0
Length x width x height	mm	705 x 320 x 435	705 x 320 x 435
Ambient conditions			
Ambient temperature (max.)	°C	+40	+40
Determined values in acc. with EN 60335-2-68			
Sound pressure level L_{pA}	dB(A)	71	71
Uncertainty K_{pA}	dB(A)	1	1
Hand-arm vibration value	m/s^2	<2,5	<2,5
Uncertainty K	m/s^2	0,2	0,2
Mains cable			
Power cord type	mm ²	H05VV-F 2x1,0	H05VV-F 2x1,0
Part number (EU)		6.650-363.0	6.650-363.0
Part number (GB)		6.650-380.0	6.650-380.0
Part number (AU)		6.650-385.0	6.650-385.0
Part number (AR)		6.650-382.0	6.650-382.0
Cable length	m	7,5	7,5

Subject to technical modifications.

Zubehör / Accessories / Accessoires

		\emptyset [mm]		
	4.762-014.0 Hartflächenadapter, hard surface adapter, adaptateur pour surface rigide			240
	4.130-001.0 *	DN 32		110
	4.130-010.0	DN 32	0,25	
	5.070-010.0 Behälter für Reinigungsmittel, container for detergent, réservoir pour détergent			
	6.980-078.0	DN 20-26		
	6.980-077.0			
	6.980-080.0			

DN = Konus-Verbindung, cone connection, connexion de cône

* = nur Puzzi 10/2 Adv, Puzzi 10/2 Adv only, uniquement Puzzi 10/2 Adv

CarpetPro Cleaner iCapsol RM 760 Tablet

Deep cleaning tabs in water-soluble film. With smart iCapsol technology for spray extraction without any rinsing. Suitable for all types of textile floor coverings (incl. wool fibres).

pH value 8.9
in concentrate



Properties

- Effective deep cleaner for the spray extraction of textile floor coverings and upholstery
- Loosens heavy oil, grease and mineral-based soiling
- iCapsol technology: no rinsing required, so surfaces are soon dry again
- Shorter drying time
- Skin protection thanks to single packaging of the cleaning tablets
- Soluble tablets in a water-soluble film than promotes cleaning
- Gentle on materials
- Cleaning action in all temperature ranges
- Free from bleaching agents
- Improves hygiene of floor
- Pleasant, fresh fragrance
- Tablet form

Application

- Spray extraction machines
- Carpet cleaners

Areas

Car dealership and garage	Car preparation
Building cleaning	Textile surfaces
Nursing and retirement homes, doctor's surgeries	Textile surfaces
Hotels, gastronomy, catering	Textile surfaces
Municipal	Textile surfaces
Retail	Textile surfaces

Technical data

Container sizes	Packaging unit	Part number
16 Tablets	20 Piece(s)	6.295-850.0
200 Tablets	1 Piece(s)	6.295-851.0

Application

Spray extraction cleaner

- Combine the product with the appropriate dosage and fresh water.
- Allow the product to dissolve completely in lukewarm water (approx. 40°C).
- Clean textile coverings in overlapping sections with the one-step method (spraying/vacuuming in one procedure) or two-step method (spraying/allowing to soak and then vacuuming).
- Vacuum textile coverings well and leave to dry.
- Encapsulated dirt is vacuumed during the next maintenance clean.

Carpet cleaner

- Combine the product with the appropriate dosage and fresh water.
- Allow the product to dissolve completely.
- Clean textile coverings in overlapping sections with the one-step method (spraying/vacuuming in one procedure) or two-step method (spraying/allowing to soak and then vacuuming).
- Vacuum textile coverings well and leave to dry.
- Encapsulated dirt is vacuumed during the next maintenance clean.



Directions for use

- Test on an inconspicuous part for material compatibility.
- Do not soak materials.
- Store in a dry place.
- WoolSafe certified for the application concentration

Warnings and safety recommendations according to EC Directives

- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280i Wear eye/face protection.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P405 Store locked up.
- P501a Dispose of contents/container in accordance with local/regional/national/international regulations.

Further information

- Material Safety Data Sheet (MSDS)

Dosage and yield

Cleaning method	Dosage	Contamination	Productivity
Deep cleaning	2 tablets in 8 litres of water	heavy	4 m ² /tablet
Deep cleaning	2 tablets in 8 litres of water	medium	6 m ² /tablet

**Safety data sheet
according to UK REACH**

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** CarpetPro Cleaner iCapsol, Tablet RM 760**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Restricted to professional users.

Application of the substance / the mixture Spray extraction cleaner**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House

Brookhill Way

Banbury

Oxon OX16 3ED

Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com**Further information obtainable from:**

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com**1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 1)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**

citric acid

· **Hazard statements**

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Cleaning agent

· **Dangerous components:**

CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-xxxx	sodium carbonate ⚠ Eye Irrit. 2, H319	30-50%
CAS: 77-92-9 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-xxxx	citric acid ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	30-50%
CAS: 6153-56-6 EINECS: 205-634-3 Index number: 607-006-00-8 Reg.nr.: 01-2119534576-33-xxxx	oxalic acid dihydrate ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	≥1-<3%
CAS: 68439-46-3	C9-11 alcohol ethoxylate ⚠ Eye Irrit. 2, H319	1-5%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	1-5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

GB

(Contd. on page 3)

**Safety data sheet
according to UK REACH**

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 2)

SECTION 4: First aid measures**4.1 Description of first aid measures**

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

- **Protective equipment:** No special measures required.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.

- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

GB

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Avoid contact with eyes and skin.

· **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· **Requirements to be met by storerooms and receptacles:** Protect from humidity. Store dry and locked up.

· **Information about storage in one common storage facility:** Keep away from food, beverages and feed.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

9004-34-6 Cellulose

WEL	Short-term value: 20* mg/m ³ Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable
-----	---

· DNELs

497-19-8 sodium carbonate

Inhalative	DNEL	10 mg/m ³ (employee)
------------	------	---------------------------------

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Hand protection** Not required

· **Material of gloves** Not required

· **Penetration time of glove material** Not required

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 4)

· **Eye/face protection**



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Solid.
· Colour:	Colourless
· Odour:	green tea
· Odour threshold:	Not determined
· Melting point/freezing point:	undetermined
· Boiling point or initial boiling point and boiling range	undetermined
· Flammability	Not determined
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Auto-ignition temperature:	not applicable
· Decomposition temperature:	Not determined
· pH	Not determined
· pH-value 10 %:	8-9
· Viscosity:	
· Kinematic viscosity	Not applicable
· dynamic:	Not applicable
· Solubility	
· Water:	Soluble
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not applicable
· Density and/or relative density	
· Relative density	Not determined
· Bulk density:	890 kg/m ³
· Vapour density	Not applicable
· Relative gas density	Not applicable

· **9.2 Other information**

· Appearance:	
· Form:	Tablets
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 5)

- **Change in condition**
- **Evaporation rate** Not applicable.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

497-19-8 sodium carbonate

Oral	LD50	2800 mg/kg (Rat)
------	------	------------------

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 6)

Dermal	LD50	>2000 mg/kg (rabbit)
6153-56-6 oxalic acid dihydrate		
Dermal	LD50	20000 mg/kg (Rabbit)
68439-46-3 C9-11 alcohol ethoxylate		
Oral	LD50	>5000 mg/kg (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

497-19-8 sodium carbonate

EC50/48 h 200-227 mg/l (Ceriodaphnia dubia)

EC50/96 h 300 mg/l (Lepomis macrochirus)

77-92-9 citric acid

LC50/48 h 440 mg/l (Leuciscus idus) (OECD Test Guideline 203)

LC50/24 h 1.535 mg/l (Daphnia magna) (static test)

6153-56-6 oxalic acid dihydrate

LC50/48 h 160 mg/l (Leuciscus idus)

EC50/48 h 162.2 mg/l (Daphnia magna)

68439-46-3 C9-11 alcohol ethoxylate

LC50/96 h 1-10 mg/l (Oncorhynchus mykiss)

EC50/48 h 1-10 mg/l (Daphnia magna)

EC50/72 h 1-10 mg/l (Algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 7)

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable
- **vPvB:** Not applicable

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Directive on liquid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· **European waste catalogue**

20 01 29*	detergents containing hazardous substances
-----------	--

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, IMDG, IATA** Void

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 8)

· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **National regulations**

- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

- **Relevant phrases**

H302 Harmful if swallowed.

(Contd. on page 10)

**Safety data sheet
according to UK REACH**

Printing date 30.01.2026

Version number 7 (replaces version 6)

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760*(Contd. of page 9)*

H312 Harmful in contact with skin.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Contact:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**

· 0-011-335-0 RM 760 T/6 2-881